



THEFT STOP 1	- AGAINST FUEL STEALING
---------------------	-------------------------

4	APPLICATION	APPLICATION	
2	problem. The product pr	We recommend it for every company where fuel theft is a problem. The product prevents siphoning via the fuel fillingslot. Its installation is by a special adhesive.	
FEATURES			
	1	rial is stainless steel to ensure its bility in any circumstances.	
	 After the installation from the filler. 	n it's impossible to siphon the fuel	
V.		device prevents the potential g the air valve of the nozzle.	
	removed.	ing) the siphon it cannot be	
	 Needs no maintance 	е.	
	SPECIFICATIONS		
Steer Page	The siphon is made closing ball is from	from stainless steel. The valve- plastic.	
00	 Our company instal 	 Our company installs the theftstop. 	
	fueltank if the tank?	 The installation is possible into any free-hanging fueltank if the tank's material is known. It's needed to choose the right kind of adhesive. 	
DETAILS			
Туре	Weight	Material	
THEFT STOP 1	2,7 kg	Stainless steel	

All statements, technical information and recommendations herein are based on tests the Manufacturer believes to be reliable, but the accuracy and completeness thereof is not guaranteed and the following is made in lieu of all warrantees, expressed or implied, including the implied warrantees of merchantability and fitness for purpose: Seller's and Manufacturer's only obligation shall be to replace such quantity of the product proved to be defective. Before using, User shall determine the suitability of the product for it's intended use, and User assumes all risk and liability whatsoever in connection therewith. Seller reserves the right to improve the product and accordingly change the specification without notice. Neither Seller or Manufacturer shall be liable either in tort or in contract for any loss or damage, direct, incidental or consequential, arising out of the use of or the inability to use the product. No statement or recommendation not contained herein shall have any force or effect unless in an agreement signed by officers of or Seller and Manufacturer.